

Original Research

Spatial Network Effect of Green Innovation Efficiency in China's Logistics Industry and Its Influencing Factors

Chuanyang Xu¹, Ke Yang¹, Jingna Lu², Jin Guo³, Yuping Wu^{1,4*}

¹Research Center of Energy Economic, School of Business Administration, Henan Polytechnic University, Jiaozuo 454003, China

²Bureau of Development and Reform, Yuhua District, Shijiazhuang, 050000, China

³Business School, Henan Normal University, Xinxiang 453007, China

⁴Taihang Development Research Institute, Henan Polytechnic University, Jiaozuo 454003, China

Received: 13 April 2024

Accepted: 17 May 2024

Abstract

Understanding the efficiency of green innovation in the logistics industry can drive sustainable development in China. However, there is a lack of evolutionary patterns and drivers of green innovation efficiency in the logistics industry. We examine the evolutionary patterns of green innovation efficiency in the logistics industry and identify its drivers across 30 provinces and cities in China from 2012-2021. This study examines the evolutionary patterns of green innovation efficiency in the logistics industry and identifies its drivers across 30 provinces and cities in China. It was discovered that there has been a consistent upward trend in the logistics sector's degree of green innovation efficiency. The eastern region exhibits the greatest average values across three indices of green innovation efficiency, with significant regional differentiation that decreases gradually from east to west. The overall spatial network displays an uneven pattern, with the central east showing higher efficiency and the west showing lower efficiency. Drivers such as spatial proximity, industrial structure, scientific and technological levels, and energy utilization significantly affect green innovation efficiency ($P < 0.05$). We underscore the importance of promoting regional cooperation and exchange, strengthening industrial restructuring and upgrading, and enhancing science, technology, and energy utilization to unleash the logistics industry's potential for green innovation.

Keywords: green innovation efficiency, SBM, social network analysis, influencing factors, spatial network structure, logistics

Introduction

As a key industry, logistics plays a crucial role in social production. In 2022, China's logistics industry was valued at 34.76 billion yuan, making up 14.7% of the nation's GDP. However, the growth of the industry

* e-mail: wyp79055@hpu.edu.cn

has resulted in significant energy depletion and pollution of the environment. Carbon emissions from China's logistics sector increased from 6.3% of the national total in 2012 to 11% in 2021. Green innovation is vital because it encourages a balance between environmental preservation logistics[1-3]. Improving green innovation's effectiveness in the logistics industry is crucial to creating higher value with minimal cost and resources.

Efficiency in green innovation efficiency (GIE) is the degree to which innovation processes integrate ecological benefits and economic gains. Green innovation efficiency in the logistics industry refers to the efficiency of resource utilization in the innovation process of the logistics industry, especially innovation activities related to environmental protection and sustainable development. It involves the adoption of new technologies and methods by logistics enterprises in transport, warehousing, packaging, and distribution to reduce energy consumption, lower environmental pollution, and enhance the greening of logistics services while maintaining or improving the economic efficiency of logistics services [4]. Current research primarily focuses on quantitative measurement, using input-output indicators. Common measurement models include the Data Envelopment Analysis (DEA) model [5], the Malmquist model [6], and the modified gravity model [7]. Studies indicate that key areas of GIE are manufacturing [8], industrial [9], and high-tech industries [10], as well as various regional levels [11-13]. Teng Tang Wei et al. (2023) observed a fluctuating upward trend in the GIE of cities in the Yangtze River Delta, with noticeable regional variation, displaying a distribution structure that is high in the south and low in the north [14]. Lu Yan Wei (2023) found that the digital economy significantly boosts GIE, with noticeable spatial overflow effects and spatio-temporal heterogeneity in the effect of the digital economy on GIE [15]. Li et al. (2023) identified four primary routes of green innovation in cities, including the results-driven innovation road, the open inclusive culture path, the integrated creative innovation path, and the open participation innovation integration way [16]. Zhou et al. (2023) noted that while China has a low total effectiveness in green innovation, it is steadily growing, with significant provincial differences at various phases of excellent development [11]. Scholars also examine the qualitative measurement of spatio-temporal evolutionary patterns and factors affecting GIE.

Numerous studies have demonstrated that GIE exerts a significant regional spillover effect. Investigating GIE aids in enhancing it within neighboring areas [17-19]. Commonly, researchers utilize Moran's index [20] and spatial measurement models [13] to analyze the spatial spillovers of GIE. For instance, Zhang Feng and colleagues (2023) observed a spatial correlation network in the equipment manufacturing industry along high-speed railways, characterized by a "dense at both ends and sparse in the middle" pattern, with fluctuating growth in network relationships and density, exhibiting a significant small-world network property[8]. Cao Zheng

Xu and associates (2023) noted regional disparities in the industrial corporations' GIE, with "high R&D-high translation" provinces predominantly in the region of the east, while the western and central areas mainly feature "high R&D-low translation" or "low R&D-high translation" provinces, highlighting various stages of innovation shortcomings [9]. Wang Chuan Xu et al. (2016) discovered spatial spillover effects in the GIE of provincial high-tech industries, where indirect and total effects align with the direct effects' direction of impact on the high-tech industries' GIE [21]. Chang Zhe Ren and colleagues (2023) found that synergistic industrial agglomeration significantly boosts GIE in municipalities in an area and creates spatial spillover effects in adjacent areas [22], indicating diverse spatial evolution variations in GIE across industries.

Enhancements in GIE stem from several drivers, primarily categorized into immediate and circumstantial factors. Immediate factors include S&T R&D investment [23, 24], industrial structure [11, 25, 26], talent investment [27, 28], resource consumption structure [29, 30], and the technological innovation environment [31, 32]. Indirect factors encompass openness to the outside world [11, 26, 33], population size [34], market demand [32, 35], government policy support [25, 36, 37], and infrastructure development [38-40]. Studies reveal that the same factor has different effects on GIE across industries. For example, Zhang et al. (2023) found that policy factors significantly influence industrial GIE [41]. Ye et al. (2023) found that policy factors have a significant positive effect on GIE in the logistics industry [42]. Wang et al. (2023), but have no significant effect on manufacturing industry green development levels [43]. Wu Yu Meng and Wang Ting (2023) identified a positive association between the degree of economic growth and GIE in Chinese industry [26]. This underscores the importance of recognizing industry-specific differences when assessing how various aspects affect the effectiveness of green innovation. Li Gen et al. (2023) reported a negative impact of innovation economic inputs on industrial GIE in various regional contexts [44]. Wu Chuan Qing et al. (2022) found a significant negative impact of population size on manufacturing sector greening [45]. Yao Meng Chao and colleagues (2022) noted that governmental science and technology finance and informatization positively contribute to high-tech industries' GIE, whereas openness to the outside world has a dampening effect [46]. Wang et al. (2022) discovered that specialized agglomeration inhibits GIE in high-tech sectors in China, with the inhibitory effect intensifying with regional population size [47], highlighting the need for industry-specific factor analysis due to the differing effects across industries.

The growth of the logistics industry, with a focus on green and innovative practices, plays a vital function in shaping China's logistics sector. Current research primarily explores aspects of green efficiency and innovation. Zhao Jing Cheng and colleagues (2023)

observed a positive spatial relevance in the efficiency of the logistics industry spanning 11 provinces and cities within the Yangtze River Economic Belt, noting an annual increase and a growing interconnectivity between these regions [48]. Yi Yan (2023) reported that the green efficiency of the logistics sector in the eastern region outperforms that of the western and central areas, highlighting a correlation between the green efficiency of the logistics sector in the western and central areas and the eastern region [49]. Hua Jun Nan and team (2024) discovered that the efficiency's spatial correlation effect of the logistics industry extends beyond geographical proximity, leading to a more stable yet dispersed spatial correlation network structure [50]. Sun Chun Xiao and colleagues (2021) found significant expansion in the spatial network scale of city logistics creativity in China from 2003 to 2018, with the network densifying and its scale-free characteristic diminishing [51].

Research across various industries, including manufacturing [8], industry [9], and high-tech industry [10], has demonstrated the strong spatial dependence of GIE. The establishment of logistics networks facilitates the interconnection of cross-regional economic activities, reinforcing the presence of spatial dependence in logistics efficiency studies. Green innovation in the logistics sector potentially creates spatial effects through its network, fostering a self-enhancing cycle of communication, knowledge sharing, technology diffusion, and resource sharing [52]. Hence, to offer more comprehensive and sustainable development recommendations for China's logistics sector, it is vital to consider the GIE. The Chinese government aims to explore policies for optimal resource allocation and sustainable development tailored to regional characteristics. However, the research in this domain remains insufficient, necessitating a spatial analysis of GIE in the logistics sector to better understand its impacts and potential.

This study significantly contributes to understanding the GIE of the logistics sector. (1) Previous research primarily focused on measuring and forecasting logistics efficiency indicators across various regions, lacking a comprehensive examination of greenness, innovation, and efficiency simultaneously. GIE is crucial for assessing the logistics industry's development in each region. This article develops a system of indexes for GIE in the logistics sector and quantifies it in 30 Chinese municipalities and provinces in recent years. (2) Prior studies have seldom explored GIE in the Chinese logistics sector, particularly considering spatial effects. This study investigates the spatial effect distribution law of GIE in the Chinese logistics sector, enhancing our understanding of its sustainable development. Earlier research has examined the drivers of logistics efficiency and innovation but has not adequately addressed the GIE of the logistics industry. (3) In previous studies, only the drivers of logistics efficiency and logistics innovation have been studied, and there is a dearth of studies on the drivers of GIE in the logistics sector. However,

China has many provincial and municipal regions with varying degrees of development; particularly, variations in efficiency across provinces and municipalities have been brought about by the impact of drivers on green innovation efficacy in the logistics sector. Therefore, identifying the drivers of GIE in the logistics sector is important for the growth of the logistics industry.

Research on China's logistics industry should prioritize improving GIE. This involves addressing challenges such as reconciling industry development with environmental protection, leveraging geographical and resource advantages in different regions, and devising region-specific sustainable development policies. This study introduces the SBM super-efficiency model to gauge the GIE of the logistics sector in 30 provinces and cities in China from 2012 to 2021. It also employs social network analysis to outline the spatial distribution features and evolutionary trends of GIE. Additionally, the study uses QAP analysis to investigate drivers. These findings offer theoretical insights and policy guidelines for promoting the logistics industry's green development and its sustainable progression. Moreover, they provide model frameworks for researching GIE in other sectors.

The paper is structured as follows: Section 2 describes the research methodology used in this paper and the process of constructing and selecting green innovation efficiency indicators, as well as the relevant data sources. Section 3 analyzes the empirical results. Section 4 provides a discussion. Section 5 draws research conclusions and recommendations.

Methods and Data

Research Methods

Green Innovation Efficiency Measurement Model for the Logistics Industry

(1) Measurement methods

The GIE of China's logistics sector is assessed in this study using the SBM super-efficiency mode [53]. The dynamic changes in GIE within this industry are investigated through the application of the MI index approach.

While DEA is a widely accepted approach for efficiency measurement, traditional DEA models face challenges in addressing slackness in output and input factors, potentially compromising efficiency accuracy [54]. To overcome these limitations, the SBM super-efficiency model, introduced by Tone [55], is chosen for its capacity to simultaneously consider inputs, desired outputs, and undesired outputs. This model has gained popularity across various fields for its comprehensive analysis capabilities. Accordingly, the article adopts the SBM for assessing the GIE of China's logistics sector. The model's formula is outlined below:

$$\left\{ \begin{array}{l} \min \rho_{SE} = \frac{1 + \frac{1}{m} \sum_{i=1}^m s_i^- / x_{ik}}{1 - \frac{1}{s} \sum_{r=1}^s s_r^+ / y_{rk}} \\ \text{s. t. } \sum_{j=1, j \neq k}^n x_{ij} y_j - S_i^- \leq x_{ik} \quad (i = 1, 2, \dots, m) \\ \sum_{j=1, j \neq k}^n y_{rj} y_j - S_r^+ \geq y_{rk} \quad (r = 1, 2, \dots, s) \\ r_j, S_r^+, S_i^- \geq 0 \\ j = 1, 2, \dots, n \quad (j \neq k) \end{array} \right. \quad (1)$$

The efficiency value is represented by ρ_{SE} , with x and y indicating the input and output elements, respectively. The model includes m input indicators and s output indicators, with i and j representing the decision-making units for inputs and outputs. S^+ and S^- denote the input and output slack, respectively. r_j denotes the vector of weights.

Additionally, the study applies Malmquist index (MI) analysis to track the evolution of total factor productivity, focusing on addressing undesired output [56]. The MI is grounded in DEA models, and the core of the MI is to solve the problem of undesired output [54, 57]. Therefore, this study applied the MI analysis to analyze the dynamic variations in GIE in the Chinese logistics industry. This involves defining a directional distance function and constructing a global total factor productivity (MI) by integrating GIE measures specific to the logistics sector.

$$\bar{E}(x, y, z; d_y - d_z) = \sup\{\beta; (y + \beta d_y, z - \beta d_z) \in S(x)\} \quad (2)$$

$$MI^{t,t+1}(x^t, y^t, z^t; x^{t+1}, y^{t+1}, z^{t+1}) = \frac{E^{g,t+1}(x^{t+1}, y^{t+1}, z^{t+1})}{E^{g,t}(x^t, y^t, z^t)} \quad (3)$$

In the formula, $E^{g,t}(x^t, y^t, z^t)$ denotes the global efficiency value in period t , $E^{g,t+1}(x^{t+1}, y^{t+1}, z^{t+1})$ denotes the global efficiency value in period $t+1$, and $MI^{t,t+1}$ denotes the total factor productivity index from period t to $t+1$.

(2) Measurement indicators

The analysis categorizes GIE indicators into inputs and results measures. Input signals encompass investment expenditure [42], labor input [58], and energy input [4, 59]. Labor input is measured by the workforce size in transportation, storage, and postal services, while energy input is gauged by the sector's energy used by the industry. Because it is difficult to obtain direct data from Chinese yearbooks, the logistics sector's capital stock—which is determined using the "perpetual inventory method"—infers capital input, which is impossible to assess directly.

$$K_{i,t} = K_{i,t-1} (1 + \delta) + I_{i,t} \quad (4)$$

Where $K_{i,t}$ and $K_{i,t-1}$ denote the capital stock of city i in year t and $t-1$, respectively, $I_{i,t}$ is the amount of fixed asset investment in city i in year t , and δ denotes the depreciation rate of fixed assets. After choosing a defined base period, the above equation is transformed by iteration, and its formula is as follows:

$$K_t = K_0 (1 - \delta)^t + \sum_{j=1}^t I_j (1 - \delta)^{t-j} \quad (5)$$

In Equation (5), it is critical to calculate the investment amount, base period stock, and the economic depreciation rate for year i . For the investment amount in year i , considering the references from prior research and data availability, this study chooses the fixed asset investment as the reference data. For determining the base period stock, this research refers to the initial stock proposed by Reindorf (2005), calculated using the following formula:

$$K_0 = I_0 (1 + g) / (g + \delta) \quad (6)$$

I_0 signifies the constant price investment during the base period, g stands for the average annual growth rate under constant price investment, δ indicates the average capital depreciation rate (the growth rate of fixed asset investment in each province and city for the year 2006 was used for the 30 provinces and cities to determine this value) and the economic depreciation rate was calculated using a formula with a value of 9.6% [60].

Output metrics are categorized into desired and undesired outputs. Desired outputs are measured by freight turnover [58], the number of patents granted in the logistics sector [61], and the industry's value added; carbon dioxide emissions [3, 62] are identified as the undesired output, with fossil energy consumption used to estimate the carbon footprint of the logistics sector across 30 cities and provinces in China, calculated by the formula:

$$CO_2 = \sum_{i=1}^n E_i * CEF_i * NCV_i * COF_i \quad (7)$$

E_i is the total consumption of energy source i , NCV_i is the average low level heating value of energy source i , CEF_i is the carbon emission factor of energy source i , and COF_i is the carbon oxidation factor.

The details of the variables that are entering and leaving to assess the efficiency of green innovation in China's logistics industry are presented in Table 1.

Spatial Effect Measurement Model of Green Innovation Efficiency in the Logistics Industry

The spatial network structure of GIE in China's logistics industry is examined in this study using social network analysis, and the position and function of every municipality and province within the spatial network are analyzed using the plate model.

(1) Social Network Structure

Table 1. An Index System for Evaluating Green Innovation Efficiency in the Logistics Sector.

Type of indicator	Level 1 indicators	Secondary indicators	Unit (of measure)
Input indicators	labor input	Number of persons employed in the transport, storage, and postal sector	Ten thousand people
	Capital investment	Capital stock	Ten thousand yuan
	Energy inputs	Energy consumption in the logistics sector	Tonnes of standard coal
Output indicators	Expected outputs	Patent grants	Size
		Freight turnover	Tonnes
		Value added of industries (value added of transport, storage, and postal services)	Billions
	Non-expected outputs	Carbon dioxide emissions	Tonnes

Social network analysis is utilized to depict cooperative relationships among nodes in urban network studies [63]. This study uses network density, network efficiency, and the degree of network level in social network analysis to explore the overall network characteristics of 30 provinces and cities, and employs point centrality, betweenness centrality, and closeness centrality to investigate the individual network features.

(2) Modified Gravity Model

Prior to conducting a social network study, a spatially related matrix is created. This is usually done by measuring the relationship strength and inherent connection mechanism of the spatial network connecting cities using the gravity model found in the literature [14]. The geographic relationship strength of innovative green efficiency in the logistics sector across 30 Chinese provinces and cities is measured in this study using a modified gravity model. The spatial relationship matrix is created using the following formula:

$$S = K \frac{E_i E_j}{\frac{D_{ij}^2}{(g_i - g_j)^2}} \tag{8}$$

$$K = \frac{G_i}{G_i + G_j} \tag{9}$$

where S is the intensity of the spatial linkage of GIE in the logistics industry; E_i and E_j denote the GIE of the logistics industry in regions i and j , respectively; D_{ij} denotes the distance between regions i and j , with specific data derived from ArcGIS software; G_i and G_j denote the total GDP of regions i and j , respectively; and g_i and g_j denote the gross regional product of regions i and j , respectively.

The values of linkage strength less than 100 are hidden due to the large extreme difference in the strength of the association measured by the modified gravity model; therefore, linkage strength greater than 100 is divided into four stages: the first stage, the second stage, the third stage, and the fourth stage.

(3) Overall Network Architecture

Network density reflects the compactness of a spatial network's structure. A higher network density indicates more interconnected nodes and a greater influence of resource flow within the network on individual nodes [64, 65]. In this study, network density is quantified by comparing the actual number of links within the network to the maximum possible connections across the entire network. This ratio, which falls between 0 and 1, is calculated as follows:

$$D_n = \frac{1}{n*(n-1)} \tag{10}$$

where n denotes the number of cities and $n*(n-1)$ is the maximum number of possible correlations.

Network efficiency is defined by the number of superfluous connections in a network relative to a specific number of network members [66]. A lower network efficiency value suggests an increase in spillover channels among node cities, thereby stabilizing the network trend. The network efficiency calculation formula is

$$G_H = 1 - \frac{M}{max(M)} \tag{11}$$

where K is the number of excess lines, and $max(K)$ is the maximum possible number of excess lines.

The network hierarchy indicates the rank of each node city or province within the network, denoting their importance and influence. A higher degree of network hierarchy enhances network accessibility and signifies a more stratified network structure. It is determined by the following formula:

$$G_H = 1 - \frac{M}{max(M)} \tag{12}$$

where M denotes the number of symmetrically reachable member pairs in the network and $max(M)$ denotes the maximum possible number of symmetrically reachable member pairs.

(4) Individual Network Structure

Table 2. Specific categorization of the four sectors.

Ratio of Inner Relations	Ratio for Accepted Connections	
	≈ 0	> 0
$\geq (g_k-1)/(g-1)$	Bilateral overflow panels	Main Beneficiary Sectors
$< (g_k-1)/(g-1)$	Main overflow boards	Brokerage Board

Point degree centrality refers to the radiation and absorption capacity of a node, province, or city within a network. The number of direct links between nodes is how it is expressed. Point-degree centrality can be further classified into point-in and point-out. Point-in represents the number of connections accessing a node, province, or city, indicating the extent to which it is influenced by other nodes in the network. On the other hand, point-out denotes the number of relationships sent out, indicating the ability of the node, province, or city to impact other nodes [66].

The degree of intermediary centrality characterizes the node's, province's, or city's ability to control and regulate each resource in the network [14]. This is calculated using the following formula:

$$C_b = \frac{2 \sum_{i < j} g_{ij}^{(i)} g_{ij}}{N^2 - 3N + 2} \quad (13)$$

where g_{ij} is the number of associations that exist between regions i and j and $g_{ij}^{(i)}$ is the number of paths between i and j going through i .

Proximity centrality measures the minimum distance between two cities or provinces, indicating the ease of resource transfer between provinces and municipalities [7]. It is determined by the following formula:

$$C_{AP_i}^{-1} = \sum_{j=1}^n d_{ij} \quad (14)$$

where d_{ij} is the straight-line distance between province and city i and province and city j is indicated.

(2) Plate Model

Plate modeling is a widely utilized method for analyzing spatial network structures through spatial clustering. It is crucial to clearly define the interconnections among locations within the plate structure during plate modeling [67]. These relationships can appear in four distinct forms. The first is the bilateral spillover plate, characterized by its dual role in both sending and receiving interactions with other plates, alongside maintaining numerous internal relationships. The second type is the main beneficiary sector, where the plate predominantly receives interactions, both internally and externally, rather than contributing spillover to other plates. The third form is the main overflow board, notable for its tendency to create more outgoing connections than it receives. The fourth type is the broker board, unique in its balance of incoming and outgoing links with a limited number of internal connections. This categorization led to the identification of four distinct segments, as detailed in Table 2.

Table 2 posits that block G_k includes city g_k , the total number of potential relationships G_k within block is $g_k(g_k-1)$. Given that the spatial association network includes g cities; therefore, the number of possible relationships G_k in each block city is $g_k(g-1)$ in the spatial association network, and the expected internal relationship ratio is $g_k(g_k-1)/g_k(g-1) - (g_k-1)/(g-1)$.

Logistics Green Innovation Efficiency Drivers Identification Model

(1) Measurement methods

The elements impacting the spatial network structure of GIE in the Chinese logistics sector are examined in this study using QAP analysis. QAP, a matrix algebra-based method, is adept at assessing the similarity and correlation between two matrices [68].

The QAP correlation analysis involves initially randomizing the relation matrix, then comparing the similarity between the two matrices, determining the number of relations, and conducting non-parametric testing. The process entails: 1) treating all matrix values as vectors to compute the relationship coefficient between both vectors, 2) randomly replacing one

Table 3. Explanatory variables of the spatial relationship network for innovative green efficiency in logistics.

Drivers	Variant	Unit (of measure)
Spatial proximity	Neighboring provinces are set to a value of 1 and non-neighboring provinces are set to 0	1 for neighboring, 0 for non-adjacent
Level of receptivity to external stimuli	Total exports and imports by province and city as a percentage of GDP	%
Industrial structure	Share of tertiary sector value added in GDP	%
Urbanization level (of a city or town)	Ratio between the overall population and the urban population at the end of the year(%)	%
Technological level	Expenditure on R&D as a share of GDP	%
Energy utilization	Ratio of consolidated turnover to energy consumption	%

Table 4. Regional division of 30 provinces and cities in China.

District	Province	District	Province	District	Province
East part	Beijing	Center middle	Shanxi	Western part	Sichuan
	Tianjin		Inner Mongolia		Guizhou
	Hebei		Jilin		Yunnan
	Liaoning		Heilongjiang		Shaanxi
	Shanghai		Anhui		Gansu
	Jiangsu		Jiangxi		Qinghai
	Zhejiang		Henan		Ningxia
	Fujian		Hubei		Xinjiang
	Shandong		Hunan		Chongqing
	Guangdong		Guangxi		
Hainan					

matrix, shuffling all its rows and columns, followed by computing and saving the relationship coefficients between the altered matrix and the original, 3) analyzing the distribution of correlation coefficients post-replacement to conduct QAP correlation.

QAP regression goes deeper, analyzing and assessing the importance of the correlations between individual matrices and many matrices. It includes 1) conducting multiple regression analyses on all independent variable matrices against the elements of the dependent variable matrix, and 2) recalculating the regression after randomly rearranging the dependent variable matrix's rows and columns storing all of the obtained coefficient values.

(2) Measurement indicators

This study analyzes six dimensions: spatial proximity, extent of opening to the outside world, industrial structure, level of urbanization, degree of technological and scientific advancement, , and energy intensity. These dimensions are based on relevant studies by scholars [2, 39, 69]. The spatial matrix of innovative green efficiency in the logistics sector serves as an explanatory variable for data processing. The values of the indicators are represented as difference matrices, detailed in Table 3.

Study Area and Data Sources

Data collection for Tibet, Macau, Hong Kong, and Taiwan proved challenging, leading to their exclusion from this study. Therefore, the regional focus of this paper is outlined in Table 4. The Eastern, Central, and Western regions are used in this study's partition of 30 provinces and cities in order to investigate the spatial variability of GIE in the logistics sector. This classification is based on economic development tactics like "Western Creation", "Central China's Rise", and "Priority Development of Eastern China". The 30 provinces and cities mentioned above are divided into

three regions, namely the Eastern, Central, and Western regions. The breakdown of these regions is shown in Table 4.

The GIE in the logistics sector in the previously specified regions is the subject of the research. The article examines the spatial network structure and determinants of GIE in the Chinese logistics sector using panel data collected between 2012 and 2021. National statistics do not clearly classify the logistics sector, so information from the "transport, storage, and postal services industry" is utilized as a stand-in. The China Statistical Yearbook, the China Energy Statistical Yearbook, the 2006 IPCC Guidelines for National Greenhouse Gas Inventories, and other provincial and city yearbooks from 2013 to 2022 are the data sources. Patent data in the logistics sector is sourced from the Key Industry Information Service Platform of the China Intellectual Property Office. For a small amount of missing and difficult-to-trace data, linear interpolation with averaging was used for smoothing to ensure data consistency and validity.

Results

Assessment Findings of the Logistics Sector's Green Innovation Efficiency Evaluation

The spatial distribution of GIE in the Chinese logistics sector for 2021 is depicted in Fig. 1. The logistics sector in eastern China has a higher total innovative green efficiency value in 2021, which is mostly spread in the two regions with darker hues. The map's darker colors represent the Eastern region, which exhibits the best efficiency. The region to the west has the smallest efficiency and is represented with the lightest hues, while the central region follows with lighter tones. The overall trend is East > Central > West.




Fig. 1. Current status of green innovation efficiency in the logistics industry.




Fig. 2. Innovative green efficiency measurement findings in the logistics sector.

Fig. 2 shows the results of the research, which measured the GIE of the logistics sector in 30 Chinese municipalities and provinces between 2012 and 2021. The findings reveal an average innovative green efficiency value of 0.562, indicating generally low efficiency across the board. Additionally, the results highlight a significant variation in regional development levels, with Hebei, Tianjin, and Jiangsu provinces demonstrating efficiency values above 1, in contrast to Heilongjiang and Qinghai provinces, which consistently recorded values below 0.3.

Fig. 3 shows more analysis of the mean amount for the GIE index for every province and municipality. Here, 24 provinces and cities scored a mean value of the MI index above 1, signifying positive progress in the GIE of the logistics sector within these regions. Hainan Province led with the highest MI index average of 1.518, followed by Beijing and Yunnan. Conversely, Tianjin recorded the lowest MI index average at 0.937. Nonetheless, it showed progress in technical efficiency with a mean EC index value of 1.085, but a decline in technical progress with a TC index value of 0.956.




Fig. 3. The mean value of the logistics sector's green innovation efficiency index for every province and city.

Results of Measuring the Spatial Effects of Green Innovation Efficiency in the Logistics Industry

Overall Network Structure

This study examines the spatial network framework of innovative green efficiency in the Chinese logistics sector, treating each province and city as a network node and analyzing the connection strengths between them using ArcGIS tools. The results, illustrated in Fig. 4, reveal a considerable variance in the spatial network structure across the 30 provinces and cities studied. The overall spatial network displays an imbalanced distribution, with the eastern and central regions having lower levels of innovative green efficiency and the western regions having greater levels. The eastern region's network is anchored by the initial and second levels, while in the central region, the 3rd and 4th order links rely on a minimal presence of initial and second order links. The western region is characterized by a predominance of third and fourth level links, albeit with fewer connections overall. The majority of China's most connected provinces and cities are found in the country's east and center, while the majority of its least connected provinces and cities are found in the country's center and west, particularly in Xinjiang, Qinghai, and Ningxia.

Fig. 5 displays the results of the study's computation of the network density, network efficiency, and network hierarchy of the spatial connection of innovative green efficiency in the logistics sector. It was observed that the network density increased gradually over the study period, peaking in 2021. In contrast, the overall network efficiency showed a declining tendency, with the highest efficiency recorded in 2012 and the lowest in

2021, averaging 0.623. Similarly, the network hierarchy decreased over time, with an average value of 0.1208.

Individual Network Structure

The spatial distribution of the point-entry degree in the GIE network within the logistics sector among 30 Chinese municipalities and provinces for the years 2012, 2017, and 2021 is depicted in Fig. 6. The areas with higher point-entry degrees are predominantly located in the eastern region. In 2012, Tianjin and Shanghai led the first tier, followed by Beijing, Jiangsu, and Guizhou in the second tier. Between 2012 and 2017, Beijing ascended to the first tier, with Fujian and Zhejiang provinces advancing to the second-highest value area. From 2017 to 2021, the second tier expanded westward around the first tier. Xinjiang consistently remained in the low-value tier, and in 2021, Qinghai Province moved up from the fourth to the third tier.

For the same set of cities and provinces in the same years, Fig. 7 shows the spatial distribution of the point-out degree in the GIE network. In 2012, the first tier included Tianjin, Jiangsu, Shanghai, and Beijing, while the second tier comprised Shandong and Zhejiang provinces. From 2012 to 2017, the first tier expanded, and the second tier spread southward, forming a cluster with Shandong, Jiangsu, Shanghai, Zhejiang, Fujian, Guangdong provinces, and Beijing and Tianjin municipalities as localized central hubs. Between 2017 and 2021, the first tier continued to grow, with Hubei Province and Chongqing Municipality rising to this tier, and several provinces moving from the third to the second tier. The fourth tier was mainly in western China.




Fig. 4. Spatial correlation network of innovative green efficiency in the logistics industry.




Fig. 5. Network correlation of innovative green efficiency in the logistics sector from 2012 to 2021.

The analysis of both point-in and point-out degrees reveals a consistent correlation between the two, i.e., the high and low point-in rankings of provinces and cities are consistent with point-out. This indicates that there is a bidirectional link in innovative green efficiency within the logistics sector. Higher degrees in both metrics are typically associated with more sophisticated logistics in provinces and cities.

Fig. 8 displays the spatial distribution of the GIE network's mediating centrality degree. In 2012, Beijing, Tianjin, and Shanghai were in the first tier. By 2017, Jiangsu Province had moved up to the first tier, with Zhejiang and Fujian provinces advancing to the second tier and Jiangxi Province dropping to the third tier. By 2021, there was a general decline in mediating centrality values across most provinces and cities, with Hunan,




Fig. 6. Spatial distribution of point penetration of an innovative green efficiency spatial connection network in the logistics industry.




Fig. 7. Spatial distribution of an innovative green efficiency spatial connection network in the logistics industry.




Fig. 8. Spatial distribution of the mediated centrality of spatially relevant networks for green innovation efficiency in the logistics industry.

Guizhou, and Guangxi falling to the fourth tier and diminishing their role as network bridges.

Fig. 9 shows the spatial distribution of proximity centrality from 2012 to 2021. Initially, the first tier included Tianjin and Shanghai, with Beijing and Guizhou in the second tier. By 2017, proximity centrality values had significantly increased across all regions, with all provinces and municipalities in the third tier or higher. In 2021, the trend continued, with Heilongjiang, Xinjiang, and Qinghai in the third tier, and the rest in the second tier or higher. The first tier mainly consists of economically advanced provinces and cities, which form the core of the network and can quickly establish connections with others, while the second tier includes peripheral regions, where geographical factors may limit interaction and depend on the development of central areas.

Plate Structure Analysis

These 30 cities are categorized into four segments, with the cities in each segment listed in Table 5. The spatial linkages and spillover effects among these segments are detailed in Table 9.

Table 6 reveals that out of 456 spatial correlations, 52 are within segments and 404 are between segments, accounting for 88.6% of inter-segment correlations.

For the first segment, it receives 17 internal and 128 external relationships, with 113 spillovers coming from outside the segment. The anticipated internal relations ratio was 37.93%, but the actual figure was only 13.08%, indicating prevalent "two-way spillovers." In the second segment, there are 103 outside and 15 inner receiving relationships, with 60 spillovers from outside, leading to an actual internal relations ratio of 20% against a forecasted 27.59%, marking it as the "primary beneficiary effect." The third segment shows 15 internal and 95 external receiving relationships, with 150 external spillovers. Its internal relational rate was expected to be 17.24% but turned out to be 9.09%, classifying it as a "major spillover effect" area. The fourth segment has 5 internal and 78 external receiving relationships, with 81 external spillovers. Its internal relations ratio, projected at 6.9%, was actually 5.81%, making this segment a broker segment.

The density matrix between the segments is computed in this study in order to further investigate the correlation. The multivalued density is also converted into an image matrix. Taking the average spatial association network density of the study object, 0.4897, as a benchmark, values in the network density matrix greater than 0.4897 indicate a density level above the overall network level, denoted as 1; otherwise, it is denoted as 0. The distribution of GIE spillovers




Fig. 9. The spatial relationship network of green innovation efficiency in the logistics industry is close to the spatial distribution of centrality.

Table 5. Distribution of cities in the four sectors.

Continental plate	Municipalities
Plate I	Hainan, Hebei, Yunnan, Guangxi, Guizhou, Hunan, Shanxi, Jiangxi, Henan, Anhui, Sichuan, and Ningxia
Plate II	Shaanxi, Heilongjiang, Liaoning, Gansu, Shandong, Qinghai, Inner Mongolia, Xinjiang, and Jilin
Plate III	Zhejiang, Guangdong, Chongqing, Fujian, Tianjin, and Hubei
Plate IV	Beijing, Shanghai, and Jiangsu

is demonstrated by the results, which are displayed in Table 7. In the density matrix, the magnitude and intensity of spillover impacts are directly correlated. The findings indicate spillovers from the first segment primarily affect the third and fourth segments. The second segment's spillover effects mainly impact the fourth segment, while the third and fourth segments influence all segments. In the image matrix, the first segment is a bi-directional spillover segment with a value of 1 with the third and fourth segments and a value of 0 with the others. The second segment, identified as the main beneficiary segment, has a value of 1 only with the fourth segment. Both the third and fourth segments have a value of 1 for all segments.

The internal relationships between the various innovative green efficiency segments in the Chinese

logistics sector are depicted in Fig. 10. The foremost segment acts as the primary driver of innovative green efficiency, while the fourth segment serves as a pivotal bridge in the transmission mechanism, highlighting a pronounced disparity between the GIE segments of the logistics sector.

Analysis of Drivers of Green Innovation Efficiency in the Logistics Sector

The analysis of drivers, as presented in Table 8, shows that all six elements passed the correlation test ($P < 0.1$). The openness to the outside world is not significant at the 10 percent level, according to the QAP regression analysis outcome, which is shown in Table 9. Consequently, the spatial network framework for GIE

Table 6. Spillover effects between the four sectors.

Continental plate	Receiver relationship matrix				Number of cities in the sector	Proportion of desired internal relationships (%)	Proportion of actual internal relationships (%)	Diagnostic property
	Plate I	Plate II	Plate III	Plate IV				
Plate I	17	15	62	36	12	37.93	13.08	Bilateral spillover
Plate II	21	15	15	24	9	27.59	20.00	Main benefit
Plate III	71	61	15	18	6	17.24	9.09	Primary spillover
Plate IV	36	27	18	5	3	6.90	5.81	Middleman

in the Chinese logistics sector is primarily influenced by five factors: spatial proximity, industrial structure, technological level, energy use rate, and urbanization level. Spatial proximity is positively correlated at the 1% level, indicating it is the largest driver. This suggests that closer geographical proximity between cities enhances spatial correlations and spillovers in the spatial network structure of GIE within the logistics sector across Chinese provinces and cities.

Discussion

Improving the efficiency of green innovation is the key to promoting the sustainable development of China's logistics industry. This paper uses the SBM super-efficiency model, social network analysis, and QAP to study the GIE of China's logistics industry, which enhances previous research in the field. The results of the study show that the overall GIE of China's logistics industry is on the rise from 2012 to 2021, which is similar to the results of Zhuang Hua et al.'s (2022) study on China's GIE. Although the GIE of China's logistics industry is improving, issues such as energy utilization and science and technology expenditure in the logistics industry have led to slow growth in GIE in most cities. Therefore, the pertinent agencies ought to pay more attention to the logistics sector, make better use of resources for green innovation, and quicken the process of increasing the sector's efficiency in green innovation.

At the provincial level, the study observes a gradual decline in the logistics industry's GIE from east to

west, mirroring Yating Zhao's (2023) research on green technology innovation efficiency across Chinese provinces. Tianjin, Hebei, and Jiangsu provinces consistently lead in terms of GIE, indicating efficient use of logistics resources, higher levels of green development, and stronger innovation capabilities. Conversely, Qinghai, Gansu, and Xinjiang exhibit low GIE values because of their underdeveloped economies and minimal investment in capital, labor, and technology within the logistics sector. Therefore, by leveraging information technology through the development of logistics information platforms and other strategies, these areas can enhance logistics activity efficiency, accelerate logistics element transmission, and boost GIE in the logistics sector through increased investment in human and equipment resources.

Within the overall network structure, there is a trend showing that the GIE within the logistics industry across 30 Chinese provinces and cities is higher in the Middle East and lower in the West. This pattern matches the results of Cao Zheng Xu et al. (2023) on the GIE of industrial firms in China. The regions in the east and central enjoy higher efficiency due to their robust economic foundations and advanced technological capabilities. Conversely, the western region's geographical remoteness places it at a disadvantage in terms of GIE within the logistics sector. From an individual network structure perspective, municipalities and provinces in the eastern part of China, which have a high degree of connectivity, demonstrate strong absorptive capacities. They leverage logistics resources from associated regions to foster their economic

Table 7. Density matrix and image matrix.

	Density matrix				Image matrix			
	Board I	Board II	Board III	Board IV	Board I	Board II	Board III	Board IV
Board I	0.129	0.139	0.861	1.000	0	0	1	1
Board II	0.194	0.208	0.278	0.889	0	0	0	1
Board III	0.986	0.574	0.500	1.000	1	1	1	1
Board IV	1.000	1.000	1.000	0.833	1	1	1	1




Fig. 10. Correlation between the four major segments of green innovation efficiency in the logistics sector.

development, resulting in a significant "siphon effect." Conversely, provinces and cities with extensive outreach are predominantly in China's more developed areas. They act as the "engine" of the spatial network structure for GIE in the logistics industry, driving development in neighboring cities. The intermediary centrality varies widely, with cities like Beijing, Tianjin, and Shanghai serving as "bridges" within the spatial network structure. In contrast, remote areas such as Hainan, Qinghai, and Xinjiang suffer from limited accessibility

and a weak economic foundation, leading to minimal interactions with other regions. Establishing inter-regional green innovation cooperation networks could enhance the spatial network structure of GIE in China's logistics industry, promoting more effective and stable communication and cooperation.

The spatial correlation among the four primary segments of GIE in the logistics industry reveals each segment's unique function within the spatial network structure. These segments collaborate, enhancing the

Table 8. Analysis results of QAP correlation elements of the spatial correlation network of green innovation efficiency in the logistics industry.

Driver	Correlation coefficient	Significance level	Average value	Standard deviation	Minimum value	Maximum values	P>=0	P<=0
Spatial proximity	0.189***	0.001	0.002	0.048	-0.036	0.191	0.001	0.999
Extent of openness to the outside world	0.082*	0.104	0.000	0.057	-0.085	0.165	0.104	0.896
Industrial structure	0.15**	0.033	-0.001	0.06	-0.070	0.206	0.033	0.967
Urbanization level (of a city or town)	0.089*	0.095	0.000	0.056	-0.100	0.176	0.095	0.906
Technological level	0.124**	0.014	-0.001	0.054	-0.101	0.165	0.014	0.986
Energy utilization	0.132**	0.019	-0.002	0.054	-0.100	0.176	0.969	0.031

Table 9. Results of influencing elements of the spatial network structure of innovative green efficiency in the logistics industry.

Driver	Standardized regression	Probability of significance value	Probability 1	Probability 2
Spatial proximity	0.1893***	0.001	0.001	0.999
Extent of openness to the outside world	0.082	0.125	0.125	0.876
Industrial structure	0.1497**	0.028	0.028	0.972
Urbanization level (of a city or town)	0.0890*	0.089	0.089	0.912
Technological level	0.1245**	0.016	0.016	0.984
Energy utilization	0.1321**	0.023	0.023	0.977

Note: *, **, and *** denote significance at the 10%, 5%, and 1% levels of significance, respectively.

network structure's connectivity. This observation is consistent with Wang et al.'s (2021) findings on the segment structure of GIE in China. The roles of Beijing, Shanghai, and Jiangsu as brokers are prominent, highlighting the importance of facilitating communication within the logistics industry's GIE segments. Enhancing interaction and information exchange among segments, fostering cooperation, and supporting the development of the western and central areas by the eastern areas are crucial. The "main beneficiary" segment should capitalize on the influence of other regions for high-quality development, while the "main overflow" segment needs to adhere strictly to green innovation and efficiency standards. For "bilateral spillover" segments, improving cooperation efficiency through resource and technology sharing is essential.

At the 1% level, there is a considerable correlation between geographic closeness and the study of drivers. This correlation shows that spatial location proximity has a notable effect on the structure of the spatial network of green innovation within China's logistics industry. This result is consistent with the study done by Yao et al. (2022), which also noted how spatial closeness affects green innovation. The concept of node centrality within this context implies that nodes with higher centrality exert more influence and control. Regions with high centrality not only influence but also create spillover effects on adjacent provinces and cities. This phenomenon can be attributed to the advanced economic development of these central regions, which exerts a broader economic influence and propels economic activities in neighboring areas through various channels. Furthermore, distance plays a critical role in the effectiveness of these spillovers between nodes; closer proximity facilitates easier and more natural exchanges of information and economic resources. Consequently, enhancing cooperation and coordination in green logistics innovation across provinces and cities is essential for promoting sustainable green innovation in the logistics industry. By doing so, it is possible to share resources more effectively, optimize transportation routes, improve energy efficiency, and reduce carbon emissions.

This study, however, is not without its limitations. For instance, the selection of evaluation indicators for GIE lacks comprehensiveness, focusing mainly on scientific and technological levels and patent numbers. Future research should develop a more inclusive indicator system for GIE in the logistics industry from a broader perspective.

Conclusion

This paper examines the efficiency of green innovation within China's logistics industry across 30 provinces and cities from 2012 to 2021, analyzing its spatial distribution and determining factors. The study reveals spatial disparities in GIE across the nation. Regions with high efficiency, such as Tianjin, Hebei, and Jiangsu, are located in the eastern part of China. These areas benefit from advantageous geographic positions, advanced economic development, and superior logistics infrastructure. Conversely, regions like Xinjiang, Qinghai, and Heilongjiang in the west demonstrate lower efficiency, attributed to their vast geographic expanses, sparse population distribution, inadequate transportation facilities, and challenges in attracting skilled talent. As national science, technology, and economic levels advance, the GIE in China's logistics sector has shown consistent improvement, with a clear hierarchy of East > Central > West China. At the provincial level, significant disparities exist in GIE, highlighting pronounced regional differences and uneven development across various areas. Four key factors—spatial proximity, industrial structure, technological advancement, and energy utilization efficiency—significantly positively impact the sector's green innovation capabilities ($P < 0.05$). Enhancing inter-regional cooperation, refining the industrial framework, advancing technology, and boosting energy efficiency are pivotal strategies for fostering the logistics industry's green and innovative growth in China.

Author Contributions

Chuanyang Xu: Conceptualization, Supervision and Reviewing.

Ke Yang: Data curation, Software, Methodology, Writing- Original draft preparation.

Jingna Lu: Supervision and Reviewing Reviewing and Editing.

Jin Guo: Visualization.

Yuping Wu: Reviewing and Editing.

Acknowledgements

This research was funded by the Henan Provincial Science and Technology Tackling Project [232102321049]; Fundamental Research Funds for Henan Provincial Higher Education Institutions [SKTD2023-02]; Major Project of Philosophical and Social Science in Henan Provincial Higher Education Institutions [2022-YYZD-07] and Major Project of Basic Research on Philosophy and Social Sciences in Henan Provincial Higher Education Institutions [2023-JCZD-15]. We thank the Henan Bureau of Statistics for providing statistical data for this manuscript.

References:

- ZHAO Y. Green Total Factor Productivity Improvement and Technological Innovation in Logistics Industry-An Empirical Test Based on SYS-GMM Method, **6**, 115, **2022**.
- MOU H.L., WU Z.L. An Empirical Study on the Impact of Environmental Regulation and Green Technology Innovation on Carbon Productivity in Logistics Industry. *Journal of Hefei University of Technology (Social Science Edition)*, **35** (2), 16, **2021**.
- WANG H., LIU W., LIANG Y. Measurement of CO2 Emissions Efficiency and Analysis of Influencing Factors of the Logistics Industry in Nine Coastal Provinces of China. *Sustainability-Basel*, **15** (19), 14423, **2023**.
- LIU H.W., WANG Y.Q., SHI H.J. Green Innovation Efficiency and Synergistic Development of Logistics Industry - An Empirical Study from Innovative Cities in Pearl River Delta. *Logistics Tech*, **40** (11), 34, **2021**.
- HAO J., XU W., CHEN Z., YUAN B., WU Y. Impact of Heterogeneous Environmental Regulations on Green Innovation Efficiency in China's Industry. *Sustainability-Basel*, **16** (1), 415, **2024**.
- YING S.L., FANG Q.Q., JI Y.T. Research on green innovation efficiency measurement and influencing factors in the three major coastal urban agglomerations in China. *Frontiers in Environmental Science*, **11**, 1276913, **2023**.
- SUN Z.R., FAN J., SUN Y., LIU H.C. Characteristics of the spatial correlation network structure and influencing factors of green technology innovation efficiency in China. *Economic Geography*, **42** (3), 33, **2022**.
- ZHANG F., CHEN J.W. Spatial Network Structure Characteristics of Green Innovation Efficiency of Equipment Manufacturing Industry along Beijing-Shanghai High-Speed Railway. *Geoscience*, **43** (12), 2150, **2023**.
- CAO Z.X., ZHANG X.X., FAN Y.P., ZHANG R.J. Measurement of green innovation efficiency of industrial enterprises and analysis of spatial spillover effects. *Statistics and Decision Making*, **39** (16), 116, **2023**.
- LIU J., LI J.S. Research on the Impact of High-Tech Industry Agglomeration on Regional Green Innovation Efficiency. *Ecological Economy*, **39** (9), 68, **2023**.
- ZHOU J.Y., SHAO M.W. Evaluation of Green Innovation Efficiency in Chinese Provincial Regions under High-Quality Development and Its Influencing Factors: An Empirical Study Based on Hybrid Data Envelopment Analysis and Multilevel Mixed-Effects Tobit Models. *Sustainability-Basel*, **15** (14), 11079, **2023**.
- SHANG Y.S., NIU Y.M., SONG P. Regional Differences and Influencing Factors of Green Innovation Efficiency in China's 285 Cities. *Sustainability-Basel*, **16** (1), 334, **2024**.
- ZHANG D.W., HUANG X.L., LUO Y.H. Digital Economy Development and Green Innovation Efficiency of High-end Manufacturing Industry - An Empirical Test Based on Spatial Spillover and Threshold Effects. *Management Modernisation*, **43** (2), 161, **2023**.
- TENG T.W., PAN Y.J., WANG S.P., BAO H. Evolution of the spatial structure of urban green innovation efficiency network in the Yangtze River Delta region and its influencing factors. *Yangtze River Basin Resources and Environment*, **32** (7), 1335, **2023**.
- LV Y.W., WANG W.Q., ZHANG J.N. The effect of digital economy on regional green innovation efficiency and its transmission mechanism. *Statistics and Decision Making*, **39** (20), 120, **2023**.
- LI F., ZHANG H., ZHANG D., YAN H. Structural Diffusion Model and Urban Green Innovation Efficiency—A Hybrid Study Based on DEA-SBM, NCA, and fsQCA. *Sustainability-Basel*, **15** (17), 12705, **2023**.
- SHEN L., ZHU X.J., NAN S.J. Impact of R&D Factor Mobility on Regional Green Innovation Efficiency: A Case Study of Provinces Along the "Belt and Road". *Soft Sci*, **37** (6), 89, **2023**.
- XU Y.J., LIU S.G. Evolution of spatial pattern of green innovation efficiency in the Yellow River Basin and its influencing factors. *Journal of Natural Resources*, **37** (3), 627, **2022**.
- LIU Y., WEN Z.M. Measuring the efficiency of green and low-carbon technological innovation and spatial spillover effects in China: A dual-carbon target perspective. *Ecological Economics*, **39** (12), 49, **2023**.
- ZHANG B.L., XIAO Y.F., HU L.T. Measurement, spatial correlation and influencing factors of green innovation efficiency in Chinese provinces. *Journal of Hunan University of Science and Technology (Natural Science Edition)*, **38** (3), 106, **2023**.
- WANG C.X., REN Y.J. Spatial spillovers of green innovation efficiency in high-tech industries. *Industrial Economics Review*, **7** (6), 76, **2016**.
- CHANG Z.R., ZHENG M. Research on the Impact of Industrial Synergistic Agglomeration on Green Innovation Efficiency-Based on Spatial Spillover Perspective. *Research on Financial Issues*, **10**, 53, **2023**.
- WANG B., CHEN H., AO Y., LIAO F. Spatiotemporal Differentiation and Influencing Factors of Green Technology Innovation Efficiency in the Construction Industry: A Case Study of Chengdu-Chongqing Urban Agglomeration. *Buildings*, **13** (1), 73, **2023**.
- XU B., WANG R.J. Research on the spatio-temporal evolution of green innovation efficiency and influencing

- factors--Taking the case of the twin-city economic circle in Chengdu-Chongqing region. *Western China*, **4**, 85, **2022**.
25. ZHAO Y.T. Research on the Measurement, Spatial and Temporal Differentiation and Influencing Factors of Green Technology Innovation Efficiency in China. *Modern Industrial Economy and Informatisation*, **13** (6), 184, **2023**.
 26. WU Y.M., WANG T. Identification of Regional Differences in China's Industrial Green Innovation Efficiency and Their Causes. *Financial Theory Research*, **3**, 31, **2023**.
 27. DONG X., FU W., YANG Y., LIU C., XUE G. Study on the Evaluation of Green Technology Innovation Efficiency and Its Influencing Factors in the Central Plains City Cluster of China. *Sustainability-Basel*, **14** (17), 11012, **2022**.
 28. MU N., LI X., WU T. Analysis of Regional Differences in Green Technology Innovation Efficiency and Its Influencing Factors in China's Strategic Emerging Industries. *Ecological Economics*, **39** (5), 87, **2023**.
 29. LI X., LIU X., HUANG Y., LI J., HE J. Theoretical framework for assessing construction enterprise green innovation efficiency and influencing factors: Evidence from China. *Environmental Technology & Innovation*, **32**, 103293, **2023**.
 30. MA D.L., ZHAO N., LI Q.S. Study on the spatio-temporal evolution of industrial green innovation efficiency and its influencing factors in the Yangtze River Economic Belt. *Ecological Economy*, **38** (2), 43, **2022**.
 31. LI G., GAO D., LI Y. Dynamic environmental regulation threshold effect of technical progress on green total factor energy efficiency: evidence from China. *Environmental Science and Pollution Research International*, **29** (6), 8804, **2022**.
 32. LIU Y.Z., DING J.Y. Evaluation of Green Innovation Efficiency in Chinese Cities and Analysis of the Contribution of Influential Factors. *Modern Finance*, **11**, 21, **2023**.
 33. HAN J. Evaluation of Green Technology Innovation Efficiency and Analysis of Influencing Factors in Zhejiang Province Cities. *Journal of Ningbo University (Humanities Edition)*, **35** (4), 113, **2022**.
 34. XU Y., ZHANG Y., LU Y., CHEN J. The evolution rule of green innovation efficiency and its convergence of industrial enterprises in China. *Environmental Science and Pollution Research International*, **29** (2), 2894, **2022**.
 35. YIN S., ZHANG N., LI B. Enhancing the competitiveness of multi-agent cooperation for green manufacturing in China: An empirical study of the measure of green technology innovation capabilities and their influencing factors. *Sustainable Production and Consumption*, **23**, 63, **2020**.
 36. YU Y., XU Z., SHEN P., ZHANG L., NI T. Efficiency Evaluation and Influencing Factors of Green Innovation in Chinese Resource-Based Cities: Based on SBM-Undesirable and Spatial Durbin Model. *Int J Env Res Pub He*, **19** (21), 13772, **2022**.
 37. DONG H.Z., CAO Z.X., ZHANG R.J. Identification of two-stage green innovation efficiency and influencing factors in China's high-tech industries. *Statistics and Decision Making*, **38** (6), 44, **2022**.
 38. DI K., LIU Z., CHAI S., LI K., LI Y. Spatial correlation network structure of green innovation efficiency and its driving factors in the Bohai Rim region. *Environment, Development and Sustainability*. **2023**.
 39. DAI Q.J. Research on the Impact of Heterogeneous Environmental Regulation on Green Total Factor Productivity in Logistics Industry--Analysis of Mediating Effect Based on Technological Innovation. *Journal of Chongqing College of Arts and Sciences (Social Science Edition)*, **39** (6), 63, **2020**.
 40. QU X., QIN X., HU H. Research on the Improvement Path of Regional Green Technology Innovation Efficiency in China Based on fsQCA Method. *Sustainability-Basel*, **15** (4), 3190, **2023**.
 41. ZHANG Q., JIANG J.F., JIA D.J. Research on the Impact of Industrial Intelligence on Green Innovation Efficiency--Analysis of Moderating Effect Based on Government Intervention. *Journal of Guizhou University of Finance and Economics*, **5**, 101, **2023**.
 42. YE C., ZHENG Y.H., SHAO B. Impact of Carbon Trading Pilot Policies on Green Logistics Efficiency. *Journal of Dalian Maritime University (Social Science Edition)*, **22** (5), 49, **2023**.
 43. WANG K.R., SHAO B.L. Decomposition and Scenario Forecasting of Green Innovation Efficiency and Influencing Factors in Manufacturing Industry, **2023**.
 44. LI G., ZHANG X.S., TIAN A.R., ZHOU Y. A study on the spatial and temporal divergence of green innovation efficiency in manufacturing industry based on super-efficient SBM-ESDA and Tobit model - A case study of Yangtze River Economic Belt, **2023**.
 45. WU C.Q., MENG X.Q. Study on the Impact of Digital Transformation on Green Development of Manufacturing Industry in Yangtze River Economic Zone. *Journal of Nantong University (Social Science Edition)*, **38** (6), 37, **2022**.
 46. YAO M.C., DUAN J.J., ZHANG R.J., XUAN Z.Y. Analysis of the spatial correlation structure and influence mechanism of green innovation efficiency in China's high-tech industries. *Yangtze River Basin Resources and Environment*, **31** (11), 2345, **2022**.
 47. WANG L.M., ZHAO Y.L., WANG S. A Study on the Impact of Clustering Patterns on Green Innovation Efficiency in China's High-Tech Industries. *Management Modernisation*, **42** (1), 17, **2022**.
 48. ZHAO J.C., HE Y.R., WANG Q.Q. Evaluation of Logistics Industry Efficiency in the Yangtze River Economic Belt and Study of Temporal and Spatial Changes. *Journal of Hunan University of Technology*, **37** (3), 50, **2023**.
 49. YI Y. Green Efficiency and Regional Spatial Characteristics of China's Logistics Industry - An SBM Model Based on Unexpected Output. *Research on Business Economics*, **20**, 104, **2020**.
 50. HUA J.N., HU M.J. Analysis of spatial correlation network structure of efficiency in China's logistics industry considering undesired output. *Railway Transport and Economy*, **2024**.
 51. SUN C.X., PEI X.Z., LIU C.J., BU Q.J. Spatial Network Characteristics and Driving Mechanism of Logistics Innovation in Chinese Cities. *Geography Research*, **40** (5), 1354, **2021**.
 52. ZHANG H., SUN X., DONG K., SUI L., WANG M. Green Innovation in Regional Logistics: Level Evaluation and Spatial Analysis. *Int J Env Res Pub He*, **20** (1), 735, **2023**.
 53. HAN Y. Measurement of green innovation efficiency and analysis of dynamic evolution of the Yangtze River Delta city cluster. *Journal of Heilongjiang Engineering Institute*, **37** (06), 50, **2023**.
 54. YIN Y., YE C., JIANG W.T. Evaluation of regional

- logistics efficiency and influencing factors based on Super-SBM-DEA model, **25** (4), 103, **2023**.
55. TONE K., TSUTSUI M. Network DEA: A slacks-based measure approach. *Eur J Oper Res.*, **197** (1), 243, **2009**.
 56. LV C.C., SHAO C.H., CUI Y. The spatial and temporal evolution of green innovation efficiency in China and the factors affecting it. *Research on Financial Issues*, **12**, 50, **2020**.
 57. LI M., WANG J. Spatial-temporal evolution and influencing factors of total factor productivity in China's logistics industry under low-carbon constraints. *Environ Sci Pollut R.*, **29** (1), 883, **2022**.
 58. YANG B., WANG Z.B. Influence of green technology innovation on the efficiency of green logistics of fresh agricultural products: moderating effect based on industrial agglomeration. *China Circulation Economy*, **37** (1), 60, **2023**.
 59. LIU H., FAN L., SHAO Z. Threshold effects of energy consumption, technological innovation, and supply chain management on enterprise performance in China's manufacturing industry. *J Environ Manage.*, **300**, 113687, **2021**.
 60. ZHANG J., WU G.Y., ZHANG J.P. Estimating China's interprovincial physical capital stock: 1952-2000. *Economic Research*, **10**, 35, **2004**.
 61. YU M.J., GUO P., ZHANG G. Research on the Impact of Regional Innovation Network Structure on Regional Innovation Efficiency. *Science and Science and Technology Management*, **34** (8), 56, **2013**.
 62. WANG S. Evaluation of Green Efficiency and Countermeasures of Logistics Industry in Yangtze River Economic Belt, **2019**.
 63. SUN L., HAN Y. Spatial Correlation Network Structure and Influencing Factors of Two-Stage Green Innovation Efficiency: Evidence from China. *Sustainability-Basel*, **14** (18), 11584, **2022**.
 64. YAN X., HUANG Y.C., PARK J.C., ZOU C. Spatial correlation network structure and driving factors of green innovation efficiency in the Yangtze River Economic Belt. *Journal of Beijing Institute of Technology (Social Science Edition)*, **23** (6), 72, **2021**.
 65. ZHUANG H., LIN H., ZHONG K. Spatial spillover effects and driving factors of regional green innovation efficiency in china from a network perspective. *Frontiers in Environmental Science*, **10**, 997084, **2022**.
 66. LIU J., SONG Q.Y. Spatial Network Structure and Formation Mechanism of Green Innovation Efficiency in China's Tourism Industry. *China Population-Resources and Environment*, **28** (8), 127, **2018**.
 67. YAO M.C., LI Z.Q., WANG Y.F. Features of Industrial Green Technology Innovation in the Yangtze River Economic Belt of China Based on Spatial Correlation Network. *Sustainability-Basel*, **15** (7), 6033, **2023**.
 68. JI Z.J., ZHAO L., GAO X.T., CAO N.G. Evolution of spatial network structure and formation mechanism of green technology innovation in China. *Journal of Shanxi Normal University (Natural Science Edition)*, **37** (3), 79, **2023**.
 69. GONG X. Regional Logistics Efficiency Measurement and Analysis of Influencing Factors. *Statistics and Decision Making*, **38** (12), 112, **2022**.